ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 609 (2000) 209–210

Journal of Organometallic Chemistry

Contents of Volume 609

Foreword 1

Binding modes of a mixed donor multidentate iminobisphosphane ligand to the triosmium cluster: the crystal structures of $[\{Os_3(CO)_{11}\}_2(PNCHP)]$, $[Os_3(\mu\text{-}H)(\mu_3\text{-}PNCP)(CO)_7]$ and $[Os_3(\mu\text{-}H)(\mu_2\text{-}PNCP)(CO)_8]$
E.W. Ainscough, A.M. Brodie, A.K. Burrell, S.M.F. Kennedy 2

Reactivity of $[Re(\eta^2\text{-}H_2)(CO)_2P_3]^+$ cations with alkynes: preparation of vinylidene and propadienylidene complexes
G. Albertin, S. Antoniutti, E. Bordignon, D. Bresolin 10

Early lanthanide organometallic hydrides: electronic and steric control of the stability
D. Barbier-Baudry, A. Dormond, M. Visseaux 21

The kinetics and mechanisms of reactions involving the dihydrogen complex *trans*-$[FeH(H_2)(DPPE)_2]^+$ and related compounds
M.G. Basallote, J. Durán, M.J. Fernández-Trujillo, M.A. Máñez 29

An intramolecular N–H···Co hydrogen bond and a structure correlation study of the pathway for protonation of the $Co(CO)_3L^-$ anion ($L = CO$, PR_3)
L. Brammer, J.C. Mareque Rivas, C.D. Spilling 36

The ligand $[Cp_2MoH_2]$ in complexes with Ag–S bonds
Henri Brunner, Andrea Hollman, Manfred Zabel, Bernhard Nuber 44

An 'atoms in molecules' (AIM) analysis of the dihydrogen bond in organometallic compounds
M.J. Calhorda, P.E.M. Lopes 53

Activation of E–H (E = Sn, Si, S) bonds by cyclooctadieneiridium pyridine-2-carboxylate and related compounds
L. Carlton, J.J. Molapisi 60

Photodissociation and electronic spectroscopy of transition metal hydrides carbonyls: quantum chemistry and wave packet dynamics
M.C. Heitz, D. Guillaumont, I. Cote-Bruand, C. Daniel 66

Synthesis and structure of $[(\eta^5\text{-}C_5Me_5)WCl_2(\mu\text{-}H)]_2$. A dinuclear tungsten hydride with a double bond formed from the reaction of BH_3THF with $(\eta^5\text{-}C_5Me_5)WCl_4$
M.A. Peldo, M. Shang, T.P. Fehlner 77

Bridging-terminal exchange in *ansa*-bridged tetrahydroborate niobocene compounds: a density functional study
N.J. Ashworth, S.L.J. Conway, J.C. Green, M.L.H. Green 83

The clusters $HRu_3W(\eta^5\text{-}Cp)(CO)_{11-x}(PPh_3)_xBH$ ($x = 1$, 2): preparations, characterizations and the crystal structure of $HRu_3W(\eta^5\text{-}Cp)(CO)_{10}(PPh_3)BH$
C.E. Housecroft, D.M. Nixon, A.L. Rheingold 89

H_2 binding to and silane alcoholysis on an electrophilic Mn(I) fragment with tied-back phosphite ligands. X-ray structure of a $Mn\text{–}CH_2Cl_2$ complex
X. Fang, J. Huhmann-Vincent, B.L. Scott, G.J. Kubas 95

The heteronuclear cluster $RuOs_3(\mu\text{-}H)_2(CO)_{13}$ — a high yield synthesis, isomerism and a triphenylphosphine derivative
L. Pereira, W.K. Leong, S.Y. Wong 104

The effect of ancillary ligands on intramolecular proton–hydride (NH···HIr) bonding in complexes of iridium(III)
S.H. Park, A.J. Lough, G.P.A. Yap, R.H. Morris 110

Studies on the reactivity of $Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(X)(L)$, X = H,Cl; L = CNXylyl, CNCy, CO and $Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(H)_3$ complexes toward the Lewis acids $B(C_6F_5)_3$ and BF_3
A. Antiñolo, F. Carrillo-Hermosilla, J. Fernández-Baeza, S. Garcia-Yuste, A. Otero, J. Sánchez-Prada, E. Villaseñor 123

Hydrosilylation of 1,4-bis(trimethylsilyl)-1-buten-3-ynes using late transition metal hydrides as catalyst precursors
Y. Maruyama, K. Yoshiuchi, F. Ozawa 130

Methods of enhancement of reactivity and selectivity of sodium borohydride for applications in organic synthesis
M. Periasamy, M. Thirumalaikumar 137

Sterically encumbered terphenyl substituted primary pnictanes $ArEH_2$ and their metallated derivatives ArE(H)Li (Ar = $-C_6H_3$-2,6-$Trip_2$; Trip = 2,4,6-triisopropylphenyl; E = N, P, As, Sb)
B. Twamley, C.-S. Hwang, N.J. Hardman, P.P. Power 152

Synthesis and properties of the 16-electron complex $[(C_5Me_5)RuCl(PMe^iPr_2)]$ and of half-sandwich ruthenium hydrido complexes containing bulky monodentate phosphine ligands
M. Jiménez Tenorio, M.C. Puerta, P. Valerga. 161

Reaction of $[Os_3H_2(CO)_{10}]$ with the diyne $Me_3SiC_2C_2SiMe_3$ and the reactivity of the products towards $[Co_2(CO)_8]$: the X-ray structures of $[Os_3(\mu\text{-}H)(CO)_{10}\{\mu\text{-}\eta^1\text{-}\eta^2\text{-}HC_2(SiMe_3)C_2(SiMe_3)\}]$, $[Os_3(\mu\text{-}CO)(CO)_9\{\mu_3\text{-}\eta^2\text{-}Me_3SiC_2C_2SiMe_3\}]$ and $[Os_3(\mu\text{-}H)(CO)_9\{\mu_3\text{-}\eta^1\text{:}\eta^2\text{-};\mu\text{-}\eta^2\text{-}Me_3SiC_2C_2[Co_2(CO)_6]\}]$
L.P. Clarke, J.E. Davies, P.R. Raithby, M.-A. Rennie, G.P. Shields, E. Sparr 169

Silatranyl, hydride complexes of osmium(II) and osmium(IV): crystal structure of $Os(Si\{OCH_2CH_2\}_3N)H_3(PPh_3)_3$
C.E.F. Rickard, W.R. Roper, S.D. Woodgate, L.J. Wright 177

Synthesis, structure, ESI mass spectrum and magnetic property of a monocationic cluster complex of chromium-sulfide with a hydrido ligand $[Cr_6S_8(H)(PEt_3)_6](BF_4)$
S. Kamiguchi, T. Saito, Z. Honda 184

$Si(CH_2CH_2SnH_3)_4$ — a unique organotin hydride featuring 12 SnH units in a dendritic molecule. Single-crystal X-ray structures of tetrakis(2-stannylethylene)silane and tetrakis[2-(triphenylstannyl)ethylene]silane
H. Schumann, B.C. Wassermann, M. Frackowiak, B. Omotowa, S. Schutte, J. Velder, S.H. Mühle, W. Krause 189

The cluster dication $[H_6Ru_4(C_6H_6)_4]^{2+}$ revisited: the first cluster complex containing an intact dihydrogen ligand?
G. Süss-Fink, L. Plasseraud, A. Maisse-François, H. Stoeckli-Evans, H. Berke, T. Fox, R. Gautier, J.-Y. Saillard 196

Author Index of Volume 609 204
Subject Index of Volume 609 205
Contents of Volume 609 209